



SAFETY DATA SHEET

Door Tonic

According to Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier: Door Tonic

1.2 Relevant identified uses: Professional restorative and protective treatment for composite doors. For use only by Protect My Door technicians.

1.3 Details of the supplier:

Company: Protect My Door

Address: Wednesbury, West Midlands, UK

Email: sds@protectmydoor.co.uk

1.4 Emergency telephone number: NHS 111 (UK) or local emergency services.

SECTION 2: Hazards identification

2.1 Classification under CLP:

Eye Irritation Category 2 – H319: Causes serious eye irritation.

Skin Irritation Category 2 – H315: Causes skin irritation.

Specific Target Organ Toxicity – Single Exposure Category 3 – H336: May cause drowsiness or dizziness.

Flammable Liquid Category 3 – H226: Flammable liquid and vapour.

2.2 Label elements:

Signal word: WARNING

Hazard statements:

- H226: Flammable liquid and vapour.
- H315: Causes skin irritation.
- H319: Causes serious eye irritation.
- H336: May cause drowsiness or dizziness.

Precautionary statements:

- P102: Keep out of reach of children.
- P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233: Keep container tightly closed.
- P280: Wear protective gloves/eye protection.
- P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
- P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
- P337+P313: If eye irritation persists: Get medical advice/attention.
- P403+P235: Store in a well-ventilated place. Keep cool.
- P501: Dispose of contents/container in accordance with local regulations.

2.3 Other hazards: Not classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

Mixture: Proprietary blend of restorative and protective agents, stabilisers, and solvents. Contains aliphatic hydrocarbons, resins, and additives <25%. Full formulation withheld as trade secret.

SECTION 4: First aid measures

4.1 Description of first aid measures:

Inhalation: Move to fresh air. Seek medical attention if symptoms (drowsiness, dizziness) occur.

Skin contact: Wash thoroughly with soap and water. Remove contaminated clothing.

Eye contact: Rinse cautiously with water for several minutes. Seek medical attention if irritation persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Seek medical advice immediately.

4.2 Most important symptoms: Irritation to eyes and skin, dizziness from vapour exposure.

4.3 Medical attention: Symptomatic treatment.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media: Foam, CO₂, dry powder. Do not use water jet.
- 5.2 Hazards: Vapours may form explosive mixtures with air. Thermal decomposition may release irritating fumes.
- 5.3 Advice for firefighters: Wear standard protective equipment and SCBA if required.
-

SECTION 6: Accidental release measures

- 6.1 Personal precautions: Remove ignition sources. Avoid inhalation and skin/eye contact. Ventilate area.
- 6.2 Environmental precautions: Prevent entry into drains and waterways.
- 6.3 Methods for cleaning up: Absorb with inert material (sand, earth). Collect in suitable containers for disposal.
-

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling: For professional use only. Keep away from heat, sparks, and open flames. Avoid inhalation and contact with skin and eyes.
- 7.2 Conditions for safe storage: Store in tightly closed original container in a cool, well-ventilated place. Keep away from direct sunlight.
- 7.3 Specific use(s): Professional-grade composite door restoration and protection solution.
-

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters: Occupational exposure limits may apply to hydrocarbon solvents (consult local guidance).
- 8.2 Protective equipment:
- Eye protection: Safety glasses with side shields.
 - Skin protection: Protective gloves resistant to solvents.
 - Respiratory protection: In case of inadequate ventilation, use suitable respirator (EN 14387 A-filter).
 - Hygiene: Wash hands after handling.
-

SECTION 9: Physical and chemical properties

- Appearance: Clear liquid
- Colour: Colourless to pale amber
- Odour: Mild, solvent-like with fragrance
- pH: Not applicable (non-aqueous)
- Flash point: ~40–60°C (Flammable Category 3)
- Solubility: Insoluble in water
- Relative density: ~0.85–0.95 g/cm³
-

SECTION 10: Stability and reactivity

- Stable under normal conditions of use and storage.
- Avoid heat, sparks, and open flames.

SECTION 11: Toxicological information

Likely routes of exposure: Eyes, skin, inhalation.

Effects: Irritation to eyes and skin; dizziness if vapours inhaled.

No known chronic effects with normal professional use.

SECTION 12: Ecological information

Toxic to aquatic life with long lasting effects if released uncontrolled.

Avoid discharge into drains or watercourses.

Contains solvents with potential bioaccumulation risk.

SECTION 13: Disposal considerations

Dispose of contents/container in accordance with local hazardous waste regulations.

Do not discharge into drains.

SECTION 14: Transport information

Classified as dangerous goods for transport (ADR/RID/IMDG/ICAO).

UN Number: 1993

Proper shipping name: Flammable liquid, n.o.s. (contains hydrocarbons)

Class: 3

Packing group: III

SECTION 15: Regulatory information

Classified in accordance with CLP Regulation (EC) No 1272/2008.

All ingredients comply with REACH registration where applicable.

SECTION 16: Other information

Training advice: Restricted to trained Protect My Door technicians.

Further information: Safety Data Sheet issued for professional use only.

Date of issue: 25/08/2025

Revision: 1.0